

To: Robert Law[rlaw@demaximis.com]
Cc: Doug Simmons[doug.simmons@aecom.com]; Sharon Budney[BudneySL@cdm.com]; Willard Potter[otto@demaximis.com]; elizabeth.A.Franklin@usace.army.mil[elizabeth.A.Franklin@usace.army.mil]
From: Vaughn, Stephanie
Sent: Tue 10/22/2013 7:50:35 PM
Subject: RE: SSP2 Draft Field Modification to move station 13B-0523 due to the presence of a utility crossing.

Hi Rob,

We have reviewed the proposed Field Modification and have no comments. Please proceed as described. Note that probing station 13B-P076 encountered sediment down to a depth of 5 feet, so we anticipate the core will extend to about this depth.

We also approve of the collection of another coring to the north of SSP2 location 13B-0547. Please advise on the exact placement of this additional coring.

Thanks,
Stephanie

From: Robert Law [mailto:rlaw@demaximis.com]
Sent: Monday, October 21, 2013 4:02 PM
To: Vaughn, Stephanie
Cc: Doug Simmons; Sharon Budney; Willard Potter; elizabeth.A.Franklin@usace.army.mil
Subject: SSP2 Draft Field Modification to move station 13B-0523 due to the presence of a utility crossing.

Stephanie:

Attached to this email is the Field Modification for moving station 13B-0523 due to the presence of a utility crossing.

R/

Rob

Robert Law, Ph.D.
de maximis, inc.
rlaw@demaximis.com
Voice: 908-735-9315
Fax: 908-735-2132